

NORVILLE

— AN INSPECS GROUP PLC COMPANY —



N·L·S

Norville Lens Supplies  
Finished Stock Lenses

[www.norville.co.uk](http://www.norville.co.uk)



# Welcome to NLS - Norville Lens Supplies

NLS is the wholesale lens division of Norville, with over 25 years' experience of supplying stock finished lenses to practices and labs who choose to glaze on site.

We pride ourselves on offering the best range of standard and specialist lens products across a huge range of in-stock prescriptions. We offer a same day despatch service on orders placed before 4pm, Monday to Friday, and our friendly and knowledgeable NLS team are always on hand to recommend alternative products if required.

Whether you prefer to phone, fax, email or EDI your orders, Norville Lens Supplies is dedicated to assisting you and your business.

## TO ORDER:





Tel: 01452 510321

Fax: 01452 510331

or order online: [www.nlsonline.co.uk](http://www.nlsonline.co.uk)



PRODUCT	PAGE
<b>1.50 Index</b>	
CR39 Uncoated . . . . .	3 - 4
CR39 Hardcoat Tintable . . . . .	5
CR39 Clarity HMAR . . . . .	6
CR39 UV400 Hardcoat Non-Tintable . . . . .	7
CR39 UV400 Clarity HMAR . . . . .	7
CR39 UV400 Blue Blocker Clarity HMAR . . . . .	8
CR39 Transitions Grey/Brown Hardcoat . . . . .	8
CR39 Transitions Grey/Brown Clarity HMAR . . . . .	9
CR39 Transitions XTRActive Grey Hardcoat . . . . .	9
CR39 Suntint UV400 Blocker Grey/Brown/Green . . . . .	10
<b>1.53 Index</b>	
Trivex Hardcoat Non-tintable . . . . .	1
Trivex Hardcoat Clarity HMAR . . . . .	12
Trivex Aspheric Clarity HMAR . . . . .	13
<b>1.59 Index</b>	
Polycarbonate Hardcoat Non-tintable . . . . .	14
Polycarbonate Hardcoat Clarity HMAR . . . . .	15
Polycarbonate Anti-Fog . . . . .	16
<b>1.60 Index</b>	
Resin Hardcoat Tintable & Clarity HMAR . . . . .	17
Resin Aspheric Hardcoat Tintable . . . . .	18
Resin Clarity HMAR Aspheric . . . . .	19
<b>1.67 Index</b>	
Resin Clarity HMAR Aspheric . . . . .	20
<b>1.74 Index</b>	
Resin Clarity HMAR Aspheric . . . . .	21
<b>1.523 Index Glass</b>	
Glass White . . . . .	22
<b>Plano Stock &amp; Fresnel Lenses</b>	
Plano Finished Stock, White 1.50, 1.53 . . . . .	23
Plano Resin Occluders / Speciality . . . . .	23
Superocular LVA Series / Blue Blockers . . . . .	24
Plano ReadEZ range . . . . .	24
Plano Suntint / Polarised / Photochromic . . . . .	25
Fresnel Press-on Prisms . . . . .	25



NLS standard uncoated CR39 benefits from flatter curves using only first quality monomer offers good tintability.

Available in Mini 50mm +4.00 to +8.00 and 55mm to + 8.00 dioptres, a fantastic in-stock option instead of surfacing.

NLS large diameter 75mm lens is available in uncoated only for larger frame dispensing.

- Available in 60mm to 3.00 cylinder, and 65mm up to 4.00 cylinder
- Flatter curves
- Fully tintable
- V value - 58
- Spherical
- Lens Code: PSF

+/+





PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

-/+

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

NLS large diameter 75mm lens is available in uncoated only for larger frame dispensing.

- Flatter curves
- Fully tintable
- V value - 58
- Spherical
- Lens Code: PSF






NLS hardcoated CR39 benefits from flatter curves, using only first quality monomer offering good tintability.

Available in Mini 50mm, 55mm & 60mm to + 8.00 dioptres, a fantastic in-stock option, instead of surfacing.

- 60mm & 65mm up to 3.00 cylinder
- Fully tintable hardcoat
- Flatter curves
- V value - 58
- Spherical
- Lens Code: PSHC







NLS Clarity HMAR coated lens range with top cleancoat. All of our Clarity range benefits from consistent coating hue match and easy clean cleancoat technology. All offered in a flatter lens form available in Mini 55mm to reduce surfacing requirements and speed up delivery, up to 70mm from stock.

- HMAR coated
- Cleancoat top coat to aid cleaning
- V value - 58
- Spherical
- Lens Code: PSMR







This specialist Blue Blocker is aimed at reducing blue light from LED light sources, combined with a full UV400 block



High quality Blue Blocking stock lens offering reduced blue light transmittance at 400 - 440nm.

- **HMAR coated (Blue reflex)**
- **UV Blocker**
- **V value - 58**
- **Spherical**
- **Lens Code: PSBB**




1.50 INDEX



## CR39 Transitions® Grey or Brown **Hardcoat**



NLS Transitions branded product is available in Grey or Brown and is supplied with an anti-scratch Hardcoat.


- **Fastest reacting resin photochromic**
- **HMAR coated**
- **UV Blocker**
- **V value - 58**
- **Spherical**
- **Lens Code: TRAP (GR) TRAB (BR)**







NLS Transitions branded product is available in Grey or Brown and is supplied with an HMAR coating.

- HMAR coated
- UV Blocker
- V value - 58
- Spherical
- Lens Code: TRXP (GR) TRXB (BR)



## CR39 Transitions® XTRActive® Grey Hardcoat


1.50 INDEX



NLS Transitions XTRActive branded product is available in Grey only and is supplied hardcoated.

83% - 10% LTF, up to 50% behind the windscreen.

- Fastest reacting resin photochromic
- Hardcoat
- UV Blocker
- V value - 58
- Spherical
- Lens Code: TXX (GR)





**+/+**


PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

**65**

**-/+**

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

**70**



**+/+**


PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

**75**

**-/+**

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

**75**




NLS sun lenses have a 400nm blocker built in and are available in Grey or Brown to 15% L.T.F.

Colour match consistency across the range is excellent.


- V value - 58
- UV Block - 100% at 400nm
- Spherical
- Lens Code: PS-GR, BR, GN




+ / +




+ / +



+ / +



- / +




NLS offer Trivex as Hardcoated or HMAR coated options. Trivex has the same impact resistance as Polycarbonate, but does not suffer from internal stress, thus reducing problems with starring around drill holes; it is also resistant to chemical attack. Trivex has a specific gravity of 1.11 g/cm<sup>3</sup> making it lighter than Polycarbonate, but with a V = 45. Optically Trivex is great to look through, and offers full UV cut out up to 395nm. Due to its improved optics, Trivex is a great option for children and teenagers, with superb impact protection.

- Impact protection EN166-F
- UV cut out up to 395nm
- Chemical resistant
- Spherical
- Lightest resin material
- Stress free glazing
- V value - 45
- Lens Code: TRSS




+/+




50

+/+




60

+/+



65

-/+



65

70

Why surface when you can get the diameter you want from stock?

- Mini 50mm & 60mm
- HMAR & Hardcoated

- Available in 50mm and 60mm diameters
- Impact protection EN166-F
- Lightest resin material
- UV cut out up to 395nm
- Stress free glazing
- Chemical resistant
- V value - 45
- Spherical
- Lens Code: TRV



**+/+**



PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00	70								
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

**-/+**


MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									
6.25									
6.50									
6.75									
7.00									
7.25									
7.50									
7.75									
8.00									
8.25									
8.50									
8.75									
9.00									

- Available in 50mm and 60mm diameters
- Impact protection EN166-F
- Lightest resin material
- UV cut out up to 395nm
- Stress free glazing
- Chemical resistant
- V value - 45
- Spherical
- **Lens Code: TRIX**






## Diameter & Range Change



- Great impact resistance EN166 -F
- Hardcoated
- V value - 30
- Spherical
- Lens Code: **CARP**



+/+

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00	70								
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									


## Diameter & Range Change

-/+

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									
6.25									
6.50									
6.75									
7.00									
7.25									
7.50									
7.75									
8.00									

NLS classic Polycarbonate is available with a standard Hardcoat or HMAR coated options. Polycarbonate is at a great price point for contract safety work or other sports protection applications, or simply usable as an alternative mid index lens supply option. Centre subs on minus prescriptions are 2.1mm. Ideal for increased impact protection.

- Great impact resistance EN166 -F
- HMAR coated
- Lens Code: CARX
- V value - 30
- Spherical



+ / +

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									

65

- / +

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									


70

The PHOG anti-fog coating is N and K mark certified, with a thickness of 6–12 microns, and a shelf life of 24 months. Scratch and impact resistant. PHOG holds EN mark test passes for fog and fine particles resistance, also over 30 seconds for ski goggles.


- Lens Code: PHOG



+/+



-/+




Our resin 1.6 in tintable hardcoat offers great flexibility to a busy practice looking for a quick turnaround sunspec in a thinner, lighter lens form.

- Resin 1.6
- Hardcoated
- V value - 42
- Spherical
- Lens Code: NHI6






+/+



-/+



- Resin 1.6
- HMAR coated
- V value - 42
- Spherical
- Lens Code: LC16



# Aspheric Resin Hardcoat Tintable

+/+

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									

60

Our resin 1.6 Aspheric small diameter is also tintable, offering additional flexibility to a busy lab or practice, as well as reducing the amount of orders requiring surfacing.

- Resin 1.6
- V value - 42
- Lens Code: NHAH
- Hardcoated
- Aspheric



## Aspheric Resin Clarity HMAR + Cleancoat

1.60 INDEX

+/+

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									

60

+/+

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									

70

65

-/+


MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00
0.25													
0.50													
0.75													
1.00													
1.25													
1.50													
1.75													
2.00													
2.25													
2.50													
2.75													
3.00													
3.25													
3.50													
3.75													
4.00													
4.25													
4.50													
4.75													
5.00													
5.25													
5.50													
5.75													
6.00													
6.25													
6.50													
6.75													
7.00													
7.25													
7.50													
7.75													
8.00													
8.25													
8.50													
8.75													
9.00													
9.25													
9.50													
9.75													
10.00													



70

70

NLS Clarity 1.60 Aspheric HMAR with cleancoat offers the best form for your patient in a quality mid-index aspheric design.

- Resin 1.6
- Great cosmetics
- Lens Code: NHA6
- HMAR coated
- V value - 42
- Aspheric






NLS Clarity 1.67 HMAR with cleancoat.

- High index
- HMAR coated
- Fantastic cosmetics
- V value - 32
- Aspheric
- **Lens Code: NHIL**





NLS Clarity 1.74 HMAR with cleancoat. This top index product offers the best in high index dispensing.

- High index
- HMAR coated
- Fantastic cosmetics
- V value - 33
- Aspheric
- Lens Code: 74A



+/+

PLUS	0.00	0.25	0.50	0.75	1.00
3.00					
3.25					
3.50					
3.75					
4.00					
4.25					
4.50					
4.75					
5.00					
5.25					
5.50					
5.75					
6.00					

60

+/+

PLUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.00									
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									

65/70

65

-/+

MINUS	0.00	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00
0.25									
0.50									
0.75									
1.00									
1.25									
1.50									
1.75									
2.00									
2.25									
2.50									
2.75									
3.00									
3.25									
3.50									
3.75									
4.00									
4.25									
4.50									
4.75									
5.00									
5.25									
5.50									
5.75									
6.00									

65/70

65

NLS classic crown glass still offers the ultimate in scratch resistance for your very traditional clients or those in gritty environments.





- Scratch resistant material
- V value - 58
- Spherical
- Lens Code: GSF



# Plano Finished Stock

## Plano Finished Stock 1.53 White

CODE

White CR39 RF		65 x 2mm thick	Base: 600	PSM5
White CR39 + UV		74 x 2mm thick	Base: 600	SUVW
White CR39 + UV		74 x 2mm thick	Base: 800 Wrap	PSVC
White CR39 Flats		75 x 2mm thick	Base: Plano	PFLA



## Plano Finished Stock 1.53 White

CODE

White Trivex HC		75 x 2mm thick	Base: 600	TRH6
White Trivex HC		75 x 2.3mm thick	Base: 800 Wrap	TRH8

## Plano Finished Stock 1.50 Resin Occluders

CODE

White CR39 Frosted		65mm	Base: 450	PFR0
Black CR39 Occluder		65mm	Base: 450	POCC

## Plano Finished Stock Speciality Lenses

CODE

Vista-Mesh Aspheric UV385 1.56 Brown 90% LTF filter + HMAR		72mm	Plano Only	MESH
---	---	------	------------	------

# Plano Finished Stock

## Plano Finished Stock - ReadEZ Visual Stress Range 1.50

CODE

Read-EZ Light A	 65mm	REZA	Read-EZ Medium A	 65mm	MEZA
Read-EZ Light B	 65mm	REZB	Read-EZ Medium B	 65mm	MEZB
Read-EZ Light C	 65mm	REZC	Read-EZ Medium C	 65mm	MEZC
Read-EZ Light D	 65mm	REZD	Read-EZ Medium D	 65mm	MEZD
Read-EZ Light E	 65mm	REZE	Read-EZ Medium E	 65mm	MEZE
Read-EZ Light F	 65mm	REZF	Read-EZ Medium F	 65mm	MEZF
Read-EZ Light G	 65mm	REZG	Read-EZ Medium G	 65mm	MEZG
Read-EZ Light H	 65mm	REZH	Read-EZ Medium H	 65mm	MEZH
Read-EZ Light I	 65mm	REZI	Read-EZ Medium I	 65mm	MEZI
Read-EZ Light J	 65mm	REZJ	Read-EZ Medium J	 65mm	MEZJ
Read-EZ Light K	 65mm	REZK	Read-EZ Medium K	 65mm	MEZK
Read-EZ Light L	 65mm	REZL	Read-EZ Medium L	 65mm	MEZL

# Plano Finished Stock









## Plano Finished Stock - Suntint

CODE

Brown + UV 1.50	 74mm	Base: 600	SUVB
Grey + UV 1.50	 74mm	Base: 600	SUVG

## Plano Finished Stock - Polarised

CODE

Polarised Grey/Green/Brown 15% 1.50	   80mm	Base: 600	POL6
Polarised Green 15% 1.50	 80mm	Base: 800 Wrap	POL8
NuPolar Grey 1 35% 1.50	 76mm	Base: 600	LITE
NuPolar Grey 3 15% 1.50	 76mm	Base: 600	POLA
NuPolar Brown 3 15% 1.50	 76mm	Base: 600	POLA
NuPolar G15 Green 15% 1.50	 76mm	Base: 600	POLA

## Plano Finished Stock - Polarised Photochromic

CODE

Drivewear Trivex 1.53 RF	 74mm	Base: 600	DRWT
--------------------------	--	-----------	------

## Plano Speciality Lenses - Fresnel Lenses

CODE

Fresnel Press-on Prism Lenses	62mm	FREN
-------------------------------	------	------

Dioptres available:

1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	12.00	15.00	20.00	25.00	30.00	35.00	40.00
------	------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------









# NORVILLE

— AN INSPECS GROUP PLC COMPANY —

Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA  
Tel: 01452 510321 • Fax: 01452 510331 • Email: [sales@norville.co.uk](mailto:sales@norville.co.uk)  
Reg office: 7-10 Kelso Place, Bath, Somerset BA1 3AU • Reg number: 12734351 England

[www.norville.co.uk](http://www.norville.co.uk)



Scan this QR code to  
visit the Norville website