




PROTECTIVE EYEWEAR

FEBRUARY 2012



PROTECTIVE EYEWEAR

S0095

		
53	18	140
55	18	145
57	20	148




POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.



COLOURS
Antique Brown
Smoke



S0096

		
50	19	140
52	19	145
54	20	148

POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.



COLOURS
Antique Brown
Smoke



S0103

ONGUARD™

		
55	21	145

PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.





COLOURS
Chocolate
Pewter



S0070*

ONGUARD™

		
52	16	140
54	16	140

PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.





COLOURS
Gold



S0071*

ONGUARD™

		
54	18	140
56	18	140

PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.



COLOURS
Gunmetal



PROTECTIVE EYEWEAR

S0144 **ONGUARD™**

		
54	17	145
56	17	145

POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.

CE
COLOURS
Black
Brown



S0151 **ONGUARD™**

		
57	18	125
59	18	125

INTERGRATED PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.

CE
COLOURS
Black
Pewter



S0220 **ONGUARD™**




		
58	15	135

THIS MODEL IS FITTED WITH INTEGRATED SIDESHIELDS WITHIN A SPORTS WRAP DESIGN. BROW BAR DUST PROTECTOR AVAILABLE AT EXTRA CHARGE.

CE
COLOURS
Black
Brown



S0125 **ONGUARD™**

		
53	17	140
55	17	140

PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.

CE
COLOURS
Chocolate
Silver



S0132 **ONGUARD™**

		
52	18	135

INTERGRATED PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.

CE
COLOURS
Beige
Pink



ALL FRAMES ON THIS PAGE ARE BS EN 166-F APPROVED

PROTECTIVE EYEWEAR

S0091*

ONGUARD™

		
52	19	140
54	19	145



SUPPLIED WITH COMFORT BRIDGE FITTED PLUS LARGER BRIDGE INCLUDED. PERMASHIELD SNAP ON PERMANENT SIDE SHIELDS SUPPLIED ON THIS MODEL.



CE
COLOURS
Gunmetal
Gold

S0092*

ONGUARD™

		
49	19	135
51	19	135


PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.



CE
COLOURS
Gold

S0093*

ONGUARD™


		
48	21	135
50	21	135

PERMASHIELD SNAP ON PERMANENT POLYCARBONATE SIDE SHIELDS SUPPLIED ON THIS MODEL.



CE
COLOURS
Gunmetal
Gold

S0094

		
50	19	140
52	19	140



POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.



CE
COLOURS
Brown
Silver

S0043

ONGUARD™

		
53	18	145
55	18	145
57	18	145

THIS MODEL IS SUPPLIED WITH INTEGRAL SIDE SHIELDS.



CE
COLOURS
Grey
Brown

PROTECTIVE EYEWEAR

S0018 **ONGUARD™**




		
54	20	140
56	20	140

POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.



CE
COLOURS
Gunmetal
Gold

S0031 **ONGUARD™**

		
48	21	140
50	21	140
52	21	140

POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.



CE
COLOURS
Gold/Demi Grey
Gold/Demi Amber

SW06E **TITMUS**

		
57	16	125

THIS MODEL IS FITTED WITH INTEGRATED SIDESHIELDS WITHIN A SPORTS WRAP DESIGN.



CE
COLOURS
Orange/Black
Yellow/Brown

ST707 **TITMUS**

		
50	21	140
52	21	145

THIS MODEL IS FITTED WITH T-LOC™ SYSTEM SIDESHIELDS. PERMANENTLY FIXED WITHOUT THE USE OF RIVETS.



CE
COLOURS
Brown
Dark Gunmetal

ST706 **TITMUS**

		
49	20	140
51	20	145

THIS MODEL IS FITTED WITH T-LOC™ SYSTEM SIDESHIELDS. PERMANENTLY FIXED WITHOUT THE USE OF RIVETS.



CE
COLOURS
Antique Brown
Antique Silver

PROTECTIVE EYEWEAR

ST705 TITMUS




		
50	19	140
52	19	145



CE
COLOURS
Grey
Brown

THIS MODEL IS FITTED WITH T-LOC™ SYSTEM SIDESHIELDS. PERMANENTLY FIXED WITHOUT THE USE OF RIVETS. TOUGHENED GLASS NOT AVAILABLE.

S8000

		
50	21 23	135
52	21 23	140
54	21 23	145



CE
COLOURS
Gold

POLYCARBONATE RIVETED SIDE SHIELDS SUPPLIED AS STANDARD ON THIS MODEL.

ALL ABOVE FRAMES BS EN 166-F APPROVED

SVA OVERSPEC

		
ONE SIZE ONLY		




CE
COLOURS
Clear

THIS MODEL IS SUPPLIED WITH INTEGRAL SIDE SHIELDS. APPROVED TO EN 166 FT.

RES1 RESPIRATOR INSERT

		
50	16	N/A



CE
COLOURS
Gunmetal

ADDITIONAL EYEWEAR PROTECTION AVAILABLE

- **Amethyst Contrast Enhancement - ACE2**
Glass prescription lens for hot glass workers. Single Vision & progressive.
Note: Sometimes described as Blue Didymium. Not suitable for toughening.
- **X RAY**
X Ray filter RBW46 glass prescription lens. Single vision and progressive.
Not suitable for toughening.

Further details from The Norville Group Limited, Magdala Road, Gloucester, GL1 4DG
Tel: 01452 528686 Fax: 01452 411094 Email: sales@norville.co.uk

ORDERING PROCEDURE

- It is generally accepted that for a small fee most Safety Companies provide the facility of paying the Optician their dispensing fee and invoicing the Purchasing Company for both the dispensing fee and spectacles. The cost for this service is absorbed within the postage/administration fee.
- This three part order pad contains two yellow copies and one white copy. The white copy is retained by the Purchasing Company. The two yellow copies are taken to the Optician by the employee. Each order has an individual order number which can be used for administrative purposes and is shown on the returning advice/invoice note.
- A frame model should be indicated by the Purchasing Company along with colour. The employee's name and an internal order reference can also be inserted on the order. Your personal account number should also be indicated. It should also be noted that it is the Purchasing Company's responsibility to indicate the material the prescription lenses should be made from, in relation to the grade of impact resistance required.
- After completing the written order, the Optician forwards the two yellow copies to a Norville Safety Location.
- The Norville Safety Location retains one of the yellow copies, returning the other along with the completed spectacles to the stated optician along with a cheque for any dispensing fee, and certificate of conformity.
- Alternatively, your optician may be able to supply both their professional services and spectacles direct.

THE NORVILLE GROUP LTD.
SAFETY Rx ORDER

ORDER REFERENCE
01245

ACCOUNT NUMBER
54312

1. QUALITY CONTROL

2. AUTHOURISING Co.
Widget Manufacturing
Salisbury Green.
Eastleigh.
Hants

3. PATIENT'S NAME OR REF.
MR. PRICE

4. FRAME STYLE
S 8000

5. EYE SIZE
54

6. DBL
21

7. COLOUR
GOLD

10. FINAL INSPECTION

AUTHOURISING SIGNATURE

CASE - PLEASE TICK
CSE CSB

LENS MATERIAL FORM AND TYPE TINT CODE

POLYCARB CR39 D28 BIFOCAL

GLASS

OPTICIAN'S REIMBURSEMENT TAX INVOICE		SPHERE	CYLINDER	AXIS	PRISM	BASE
EXAMINATION FEE		R + 1.00	+ 1.00	120		
DISPENSING FEE	15'00	L + 0.75	+ 1.25	180		
TOTAL	15'00					

	ADDITION	SEGMENT SIZE	SEG. / FIT POSITION	VERTICAL O.C. POSITION	DISTANCE CENTRES	READING CENTRES
R	+ 2.00	D28	2 DN		33	31
L		D28	2 DN		33	31

PRACTICE NAME AND ADDRESS

SPEX LTD.,
56, HARGREWAVE ROAD,
SOUTHAMPTON,
HANTS,
SO9 4EL.

SPECIAL INSTRUCTIONS


PLEASE SEE PRICE LIST FOR FRAME INFORMATION

		BS EN 166		Protector Type		
		FRAME	LENS	SPECTACLES	GOGGLES	FACESHEILDS
Manufacturer's Mark		®	®	✓	✓	✓
OPTICAL CLASS	Refractive Power	±0.06	1	✓	✓	✓
		±0.12	2	✓	✓	✓
		+0.12				
		-0.25	3	✓	✓	
MECHANICAL STRENGTH	Increased Robustness	-	S	✓	✓	✓
	Low Energy Impact	-F	F	✓	✓	✓
	Medium Energy Impact	-B	B		✓	✓
	High Energy Impact	-A	A			✓
FIELD OF USE	Liquid Droplets / Splashes	3	-		✓	✓
	Large Dust Particles	4	-		✓	
	Gas / Fine Dust Particles	5	-		✓	
	Short Circuit Electric Arc	8	-			✓
	Molten Metal / Hot Solids	9	9		✓	✓
	Resistance to Fogging	-	N	✓	✓	✓
Resistance to Surface Damage	-	K	✓	✓	✓	

Please note: All Protective Eyewear is CE marked against the P.P.E. Directive 1995, also meeting the requirements of BS EN166:2002. All Prescription Protective Eyewear Lenses will be marked Optical Class 1, as long as the requirements for ISO 8980 -1 and ISO 8980 - 2/ International Glazing Standard BSENISO 21987 are met. Norville Protective Eyewear Division works to ISO 9001:2000 and all products are licensed within the BSI kitemark scheme.

PRESCRIPTION NOTES: FRAMES & LENSES

- Pricing shown for Prescription Safety, Office/VDU complete spectacles are within a range of +/- 6.00 sphere with opposite cyls up to 6.00. Higher powered lenses are available at an extra charge (see Supplementary Charges).
- Unless otherwise stated at time of ordering, it is normal practice to ensure correct optical centring by working prism, wherever this is necessary, at an additional charge.
- All Polycarbonate and Trivex lenses are supplied with an anti-scratch coating as standard. This coating can also be supplied with CR39 plastic lenses at an additional charge (see Supplementary Charges).
- We do not supply Round Fused Glass or E-Style Glass Bifocal lenses for industrial safety purposes.
- Our Progressive Lens pricing caters for the use of PR0 EASY, CF5, Liberty, Image, CFP and NCF- see pages 6 & 7. For all other requirements, please revert to The Norville Lens Catalogue for pricing.
- Other lens types are available in most safety prescriptions. Pricing reverts to normal Glazed Prescription Price List. In most cases a Norville Safety Location can give quotes before proceeding if required.
- All prices based on the use of 70/72mm lenses or minimum standard diameter where applicable.
- A certificate of conformity is issued with each complete pair of Protective Spectacles being supplied. Two copies are produced, one should be kept by the Optician, the other should be kept by the end user or purchasing company. Removal of side shields will immediately invalidate this certificate. The certificate is valid for 24 months under normal wearing conditions. Metal frames can be re-glazed at the end of this period with a further 24 months certification being issued dependent on the condition of the frame.



**HEAD OFFICE:
THE NORVILLE GROUP LIMITED, MAGDALA ROAD, GLOUCESTER, GL1 4DG
www.norville.co.uk**