



**Safety Protective  
Eyewear**



## Safety Protective Eyewear at Norville

**NORVILLE**  
— AN INSPECS GROUP PLC COMPANY —

In all areas of work, DIY and other activities, eye protection is not only good practice, but also common sense. Correctly prescribed safety spectacles are an essential part of everyday working. There are many and varied pieces of legislation, such as The Health and Safety at Work Act, and The Personal Protective Equipment Regulations 2002, which are Law and must be complied with, and these are the starting point for any safety professional in the workplace.

Our wide range of frame designs from some of the world's leading suppliers, including more modern wrap designs, together with the choice of exactly the right lens - single vision, bifocal or varifocal - including the latest digital lenses. All tested, safety-assured lenses, made from impact-resistant Polycarbonate, and chemical-resistant Trivex lens material.

We also offer specialist bespoke lens creation. If there is a need for the reading portion of a varifocal lens to be at the top of the frame, or a magnification bifocal lens in a certain position, we can provide this service.

Our dedicated Safety Eyewear Team is available to offer you every assistance in creating the perfect pair of safety glasses. Call 01452 528686 or email: [safety@norville.co.uk](mailto:safety@norville.co.uk)

All products are supplied empty or with non safety lenses for demonstration purposes only  
Any bespoke lenses will revert to the standard pricelist. All progressive lenses offered are Digital design.

# PROTECTIVE EYEWEAR

## S0070\*

ON GUARD™

A-B		
52-35	16	140
54-36	16	140

CODE COLOUR  
**Gold**  
 Gunmetal

- Polycarbonate pin side shields supplied on this model.



FRAME  
BAND **B**

## S0071\*

ON GUARD™

A-B		
54-40	18	140
56-42	18	140

CODE COLOUR  
**Gunmetal**

- Polycarbonate pin side shields supplied on this model.



FRAME  
BAND **B**

## S0091\*

ON GUARD™

A-B		
52-36	19	140
54-38	19	145

CODE COLOUR  
**Gunmetal**  
 Gold

- Comfort bridge
- Polycarbonate pin side shields supplied on this model.



FRAME  
BAND **B**

\*Also available without side shields - order with prefix "P" for Contract/VDU

# PROTECTIVE EYEWEAR

**S0093\***

**ON GUARD™**

A-B		
48-33	21	135
50-34	21	135

CODE COLOUR  
**Gunmetal**  
Gold

- Polycarbonate pin side shields supplied on this model.



FRAME  
BAND **B**

**S0094**

A-B		
50-36	19	140
52-38	19	140

CODE COLOUR  
**Brown**  
Brushed Silver

- Polycarbonate riveted side shields supplied as standard on this model.



FRAME  
BAND **A**

**S0095**

A-B		
53-36	18	140
55-38	18	145
57-40	20	148

CODE COLOUR  
**Antique Brown**  
Smoke

- Polycarbonate riveted side shields supplied as standard on this model.



FRAME  
BAND **A**

\*Also available without side shields - order with prefix "P" for Contract/VDU



# PROTECTIVE EYEWEAR

## S0096

A-B		
50-33	19	140
52-35	19	145
54-37	21	148
CODE	COLOUR	
	<b>Antique Brown</b>	
	Smoke	



- Polycarbonate riveted side shields supplied as standard on this model.

FRAME  
BAND **A**



## S0097

A-B		
55-41	19	138
57-43	19	143
CODE	COLOUR	
	<b>Black</b>	
	Gunmetal	



- Polycarbonate riveted side shields supplied as standard on this model.

FRAME  
BAND **A**



## S0098

A-B		
53-34	19	135
55-36	19	138
57-38	21	141
CODE	COLOUR	
	Gunmetal	
	<b>Brown</b>	



- Polycarbonate riveted side shields supplied as standard on this model.

FRAME  
BAND **A**



# PROTECTIVE EYEWEAR

## S0099

A-B		
53-33	16	137
55-35	16	140

CODE COLOUR  
Bronze  
**Antique Blue**

- Polycarbonate riveted side shields supplied as standard on this model.



FRAME BAND **A**



## S0100 PS

A-B		
56-36	20	120

CODE COLOUR  
**Grey**  
Black  
Blue

- Frame Material Polycarbonate sides & brow bar
- TR90 lens carrier



FRAME BAND **A**



## S0125\*

**ON GUARD™**

A-B		
53-34	17	140
55-35	17	140

CODE COLOUR  
Chocolate/Chrome  
**Brushed Silver**

- Spring hinges
- Material - monel
- Polycarbonate pin side shields supplied on this model.

NOTE: ONLY AVAILABLE WITH POLYCARBONATE OR TRIVEX LENSES



FRAME BAND **E**



# PROTECTIVE EYEWEAR

## S0144

ON GUARD™

A-B		
54-30	17	145
56-32	17	145

CODE COLOUR  
Black  
**Brown**

- Spring hinges
- Material - acetate
- Polycarbonate pin side shields supplied on this model.
- Recommended Rx range +6 to -4



FRAME BAND **E**

## S0160

ON GUARD™

A-B		
60-38	15	131

CODE COLOUR  
**Brown**  
Grey

- Frame Material Thermoplastic Polyurethane
- Lightweight



FRAME BAND **B**

## S0210

ON GUARD™

A-B		
57-34	16	120

CODE COLOUR  
**Black**  
Brown

- Frame Material Thermoplastic Polyurethane
- Non conductive



FRAME BAND **C**

# PROTECTIVE EYEWEAR

## S0220

OnGUARD™

A-B		
55-34	15	130
58-36	15	135

CODE	COLOUR
	Black
	Brown
	Purple/White
	Grey/Pink
	Green/Yellow

- Frame Material: Nylon non conductive
- Brow bar available as an extra
- Great fitting options including small fit
- Comfortable flex finger bridge
- Sports wrap design
- Integral lateral protection

FRAME BAND C



## S220 FS

OnGUARD™

A-B		
58-36	15	135

CODE	COLOUR
	Black

Classic 220 styling with the addition of an internal full seal (non conductive). The seal is removable, this frame also offers:

- Removable adjustable head strap supplied as standard
- Indirect ventilation
- Comfortable flex finger bridge

FRAME BAND E



Includes removable adjustable head strap

## S0225

OnGUARD™

A-B		
55-34	15	130
57-37	16	135
61-39	17	135

CODE	COLOUR
	Black/Yellow
	Gunmetal/Neon Green
	Navy/Neon Orange
	Silver/Navy

- Frame Material: Nylon non conductive
- Brow bar and removable adjustable head strap supplied as standard
- Length adjustable temples
- Great fitting options including small fit
- Comfortable flex finger bridge
- Sports wrap design
- Integral lateral protection

FRAME BAND D



Includes brow bar dust protector



Includes removable adjustable head strap





# PROTECTIVE EYEWEAR


## RES1

		
50	16	N/A

CODE	COLOUR
	<b>Gunmetal</b>

Respirator insert (fits behind shielding).  
Not tested.

FRAME BAND	<b>D</b>
---------------	----------



## SQUALE OVERSPEC

		
--	---	---

One size only	
CODE	COLOUR
	Clear



- This model is supplied with integral side shields.
- NO METAL CONTENT

## PROTECTIVE EYEWEAR ACCESSORIES



### ▲ Microfibre Cloths, Large size

Ref: MFC 40 x 40cm Royal Blue.



### ▲ Spec Safety Neck Cords

Spec cords with safety "breakaway" clips. Especially useful for any spec wearers near to moving parts. Available in black, brown and navy.



### ▲ Zip Case

This frame case is suitable for larger wrap design models. Hard plastic with zip closing.



### ▲ CSB Case

This XL frame case fits all of the prescription eyewear models and is supplied as standard when prescription spectacles are ordered. The case is extra wide with a hard front insert, belt strap and velcro fastening.

**EARLOCK**



### ▲ Earlock

The product is brilliant (you will never know how brilliant until you try), for ensuring frames stay tight on the user's face, avoiding any forward slip, especially useful for straight sided frames and sunspecs.

- Small size - For imperceptible fittings.
- Medium size - For everyday frame sizes.
- Large size - For industrial safety specs and sports eyewear.

**ON GUARD™**



### ▲ ONGUARD™ Accessories (S0220/S0220FS/S0225)

Replacement accessories for OnGuard frames. See pages 8-9.

- Brow Bar S0220 - Replacement dust dam/brow bar.
- Head Strap - Removable adjustable head strap. Black only.
- Full Dust Screen S0220FS - Replacement full dust screen.

# PROTECTIVE EYEWEAR

## ORDERING PROCEDURE

1. Unless otherwise stated at time of ordering, it is normal practice to ensure correct optical centring by working prism, wherever this is necessary, at an additional charge.
2. All Polycarbonate and Trivex lenses are supplied with an anti-scratch coating as standard. This coating can also be supplied with 1.50 index resin lenses at an additional charge (see Supplementary Charges).
3. Our Progressive Lens pricing caters for the use of Digital Progressive Lenses.  
For all other requirements, please refer to The Norville Ophthalmic Lens Catalogue for pricing.
4. Other lens types are available in most safety prescriptions. Pricing reverts to normal Glazed Prescription Price List. In most cases a Norville Safety Location can give quotes before proceeding if required.
5. All prices based on the use of 70/72mm lenses or minimum standard diameter where applicable.
6. A certificate of conformity is issued with each complete pair of Protective Spectacles being supplied.

Two copies are produced, one should be kept by the Optician, the other should be kept by the end user or purchasing company.

Removal of side shields will immediately invalidate this certificate. The certificate is valid for 24 months under normal wearing conditions.

## PRESCRIPTION NOTES

- A. It is generally accepted that for a small fee most Safety Companies provide the facility of paying the Optician their dispensing fee and invoicing the Purchasing Company for both the dispensing fee and spectacles. The cost for this service is absorbed within the postage/administration fee.
- B. This two-part order pad contains one white copy and one yellow copy. The white copy is retained by the Purchasing Company. The yellow copy is taken to the Optician by the employee.
- C. A frame model should be indicated by the Purchasing Company along with colour. The employee's name and an internal order reference can also be inserted on the order. Your personal account number should also be indicated. It should also be noted that it is the Purchasing Company's responsibility to indicate the material the prescription lenses should be made from, in relation to the grade of impact resistance required.
- D. After completing the written order, the Optician forwards the yellow copy to the Norville Safety Division.
- E. The Norville Safety Division retains the yellow copy, returning a copy with the completed spectacles to the stated optician, along with a cheque for any dispensing fee, and certificate of conformity.
- F. Alternatively, your optician may be able to supply both their professional services and spectacles direct.

NORVILLE		AUTHORISING COMPANY		ACCOUNT NUMBER	
<b>SAFETY Rx ORDER</b>		WIDGET MANUFACTURING SALISBURY GREEN EASTLEIGH SO50 0AB		N2134	
QUALITY CONTROL (Final Inspection)					
NAME / EMPLOYEE REF / ORDER NO.		AUTHORISING NAME & POSITION		EMAIL & CONTACT PHONE NO.	
ORDER No - S2134		DAVE SMITH - MANAGER		ds@newtownoptics.co.uk	
FRAME STYLE		EYE SIZE		COLOUR	
S8000		54		GOLD	
LENS MATERIAL		IMPACT GRADE		LENS PRODUCT FORM & TYPE	
POLYCARB		F		D28 BIFOCAL	
TRIVEX		F			
1.50 RESIN		S			
GLASS		S			
OPTICIAN'S REIMBURSEMENT TAX RANGES		SPHERE		CYL	
RIGHT TEST FEE		+1.00		+1.00	
DISPENSING FEE		+0.75		+1.25	
TOTAL		+2.00		+2.25	
PRACTICE NAME AND ADDRESS		SPECIAL INSTRUCTIONS			
NEWTOWN OPTICIANS 24 HIGH STREET NEWTOWN NT2 4RB					

Optician: please dispatch to: Safety Division, Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA

		EN 166		Protector Type		
		FRAME	LENS	SPECTACLES	GOGGLES	FACESHIELDS
OPTICAL CLASS	Manufacturer's Mark	®	®	✓	✓	✓
	Refractive Power ±0.06	-	1	✓	✓	✓
	±0.12	-	2	✓	✓	✓
	+0.12	-	3	✓	✓	✓
MECHANICAL STRENGTH	Increased Robustness	-	S	✓	✓	✓
	Low Energy Impact	-F	F	✓	✓	✓
	Medium Energy Impact	-B	B	✓	✓	✓
	High Energy Impact	-A	A	✓	✓	✓
FIELD OF USE	Liquid Droplets / Splashes	3	-	✓	✓	✓
	Large Dust Particles	4	-	✓	✓	✓
	Gas / Fine Dust Particles	5	-	✓	✓	✓
	Short Circuit Electric Arc	8	-	✓	✓	✓
	Molten Metal / Hot Solids	9	9	✓	✓	✓
	Resistance to Fogging	-	N	✓	✓	✓
		Resistance to Surface Damage	-	K	✓	✓

Please note: All Protective Eyewear is CE marked against the P.P.E. Regs EU 2016/425, also meeting the requirements of EN166:2002.  
All Prescription Protective Eyewear Lenses will be marked Optical Class 1, as long as the requirements for EN ISO 8980 - 2/International Glazing Standard EN ISO 21987 are met.  
Norville Protective Eyewear Division works to ISO with products licensed by INSPEC.

# PROTECTIVE EYEWEAR

## ALL FRAMES AT A GLANCE





# NORVILLE

— AN INSPECS GROUP PLC COMPANY —



## Safety Protective Eyewear Price List

FEBRUARY 24

[www.norville.co.uk](http://www.norville.co.uk)






# PROTECTIVE EYEWEAR PRICE LIST

## 1.50 RESIN n=1.50



FRAME BAND

Increased Robustness (EN166 S)

COMPLETE PRICE INCLUDING FRAME, LENSES & CASE					
	A	B	C	D	E
	S0094 S0095 S0096 S0097 S0098 S0099 S0100	S0070 S0071 S0091 S0093 S0160	S0210 S0220	RES1 S0225	S0144 S0220FS
<b>1.50 RESIN SINGLE VISION</b>	£p	£p	£p	£p	£p
Codes: PSF-/PSS+  +8.00/-10.00 with opposite cyls to 6.00					
<b>1.50 RESIN FLAT TOP 28mm BIFOCAL</b>					
Code: S28A (Adds 0.75 to 4.00)  +8.00/-10.00 with opposite cyls to 6.00					
<b>1.50 RESIN WORKSTATION LENS</b>					
Codes: OFFP/OFFF Order by Reading Rx Degression -0.75, -1.25, -1.75, -2.25  +8.00/-10.00 with opposite cyls to 6.00					
<b>1.50 VECTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Code: Vector <b>HD</b> (VU39) (Adds 0.75 to 3.50)  +8.00/-10.00 with opposite cyls to 6.00					
<b>1.50 ULTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Code: Ultor <b>HD</b> (NU39) (Adds 0.75 to 3.50) <b>Design Options</b> General Wear Desk Outdoor  +8.00/-10.00 with opposite cyls to 8.00					

All prices are in pounds sterling and exclude vat and p&p. For all supplementary charges - see page 18.

# PROTECTIVE EYEWEAR PRICE LIST

## POLYCARBONATE






HARDCOATED BOTH SURFACES

**n=1.59**



FRAME BAND

High Speed Low Energy Impact (EN166 F)

COMPLETE PRICE INCLUDING FRAME, LENSES & CASE					
	A	B	C	D	E
	S0094 S0095 S0096 S0097 S0098 S0099 S0100	S0070 S0071 S0091 S0093 S0160	S0210 S0220	RES1 S0225	S0144 S0220FS S0125
<b>POLYCARB SINGLE VISION</b>	£p	£p	£p	£p	£p
Code: POLY  +8.00/-10.00 with opposite cyls to 8.50					
<b>POLYCARB FLAT TOP 28mm BIFOCAL</b>					
Code: CARB (Adds 1.00 to 3.00, 3.50 & 4.00)  +8.00/-8.00 with opposite cyls to 6.00					
<b>POLYCARB WORKSTATION LENS</b>					
Codes: OFLY/OFLF Order by Reading Rx Degression -0.75, -1.25, -1.75, -2.25  +8.00/-6.00 with opposite cyls to 6.00					
<b>POLY VECTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Code: Vector <b>HD</b> (VU58) (Adds 0.75 to 3.50)  +8.00/-10.00 with opposite cyls to 6.00					
<b>POLY ULTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Codes: Ultor <b>HD</b> (NU58) (Adds 0.75 to 3.50) <b>Design Options</b> General Wear Desk Outdoor  +8.00/-10.00 with opposite cyls to 6.00					

All prices are in pounds sterling and exclude vat and p&p. For all supplementary charges - see page 18.


SAFETY: 01452 528686 • FAX: 01452 510331 • EMAIL: [safety@norville.co.uk](mailto:safety@norville.co.uk) • [www.norville.co.uk](http://www.norville.co.uk)

# PROTECTIVE EYEWEAR PRICE LIST

## TRIVEX






HARDCOATED BOTH SURFACES

**n=1.53**



FRAME BAND

### COMPLETE PRICE INCLUDING FRAME, LENSES & CASE

	A	B	C	D	E
	S0094 S0095 S0096 S0097 S0098 S0099 S0100	S0070 S0071 S0091 S0093 S0160	S0210 S0220	RES1 S0225	S0144 S0220FS S0125
	£p	£p	£p	£p	£p
<b>TRIVEX SINGLE VISION</b>					
Code: TRIS  +8.00/-10.00 with opposite cyls to 6.00					
<b>TRIVEX FLAT TOP 28mm BIFOCAL</b>					
Code: TR28 (Adds 1.00 to 3.50)  +8.00/-10.00 with opposite cyls to 6.00					
<b>TRIVEX WORKSTATION LENS</b>					
Code: OFTR Order by Reading Rx Degression -0.75, -1.25, -1.75, -2.25  +8.00/-10.00 with opposite cyls to 6.00					
<b>VECTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Codes: Vector <b>HD</b> (VU53) (Adds 0.75 to 3.50)  +8.00/-10.00 with opposite cyls to 6.00					
<b>TRIVEX ULTOR <sup>HD</sup> DIGITAL PROGRESSIVE</b>					
Code: Ultor <b>HD</b> (NU53) (Adds 0.75 to 3.50) <b>Design Options</b> General Wear Desk Outdoor  +8.00/-10.00 with opposite cyls to 6.00					

All prices are in pounds sterling and exclude vat and p&p. For all supplementary charges - see page 18.



# PROTECTIVE EYEWEAR PRICE LIST

## EMPTY FRAMES (for fitting / display purposes only)

Frame	Frame Band	Price £ Net
S0070	B	
S0071	B	
S0091	B	
S0093	B	
S0094	A	
S0095	A	
S0096	A	
S0097	A	
S0098	A	
S0099	A	
S0100	A	
S0125	E	
S0144	E	
S0160	B	
S0210	C	
S0220	C	
S0220FS	E	
S0225	D	
RES1	D	
Squale Overspec	-	

Supplementary Charges	Code	Price £ per pair
Hard Coat Anti-Scratch	HC	
Anti Fog	AF	
Clarity	ARBC	
Clarity +Blue Blocker	KBLU	
HMAR +CleanCoat	XARE	
HMAR +AntiStatic +EasyClean	KARE	
Prism 4.25 – 6.00 Single Vision	PR02	
Prism 6.25 – 9.00 Single Vision	PR03	
Prism 9.25 – 12.00 Single Vision	PR04	
Prism 4.25 – 6.00 Multifocal	PR02	
Prism 6.25 – 9.00 Multifocal	PR03	

Accessories	Price £ Net
<b>Microfibre Cloths</b> 40 x 40cm	
<b>Spec Safety Neck Cords (Black, Brown or Navy)</b> 1 - 5 pieces (each)	
6+ pieces (each)	
<b>Progear Anti-Fog Lens Cleaner</b> Display of 24 packs NB: Not for use on pre-coated Anti-fog lenses	
<b>Zip Replacement Case</b> Black only	
<b>CSB Replacement Case</b> Blue	
<b>Earlocks</b> Small	
Medium	
Large	
Assorted, 10 packs	
<b>S0220 / S00220FS / S0225 Accessories</b> Brow Bar	
Bridge	
Head Strap	
Full Dust Screen	

### Ordering Empty Frames & Additional Items

Empty frames can be ordered on approval from Frame Telesales on 01452 510321, Fax 01452 510331 or Email [sales@norville.co.uk](mailto:sales@norville.co.uk).

Frames ordered for fitting purposes should be returned to Frame Telesales for credit and not forwarded to the manufacturing laboratory:

Frame Telesales, Norville (20/20) Ltd,  
Waterwells Drive, Gloucester GL2 2AA.

- Glass lenses available on request.

### Out of Range Prescriptions

Orders outside of stated prescription range in this catalogue will not be safety certified.

All prices are in pounds sterling and exclude vat and p&p. For all supplementary charges - see page 18.

SAFETY: **01452 528686** • FAX: **01452 510331** • EMAIL: [safety@norville.co.uk](mailto:safety@norville.co.uk) • [www.norville.co.uk](http://www.norville.co.uk)

## PROTECTIVE EYEWEAR PRICE LIST

Full SUPPLY TERMS AND CONDITIONS can be found on the Norville website:  
<https://www.norville.co.uk/legal-information.html>

## PROTECTIVE EYEWEAR



## NORVILLE

— AN INSPECS GROUP PLC COMPANY —

Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA  
Tel: 01452 510321 • Fax: 01452 510331 • Email: [sales@norville.co.uk](mailto:sales@norville.co.uk)  
Reg office: 7-10 Kelso Place, Bath, Somerset BA1 3AU • Reg number: 12734351 England  
**[www.norville.co.uk](http://www.norville.co.uk)**



Scan this QR code to  
visit the Norville website