

NORVILLE

— AN INSPECS GROUP PLC COMPANY —

Frame: SL101

Superlite

MORE THAN JUST RIMLESS

Rimless Ranges and
Complete Glazed Packages

www.norville.co.uk

Superlite

MORE THAN JUST RIMLESS

Superlite rimless eyewear now has over 60 designs made from high quality materials including Titanium, Stainless Steel and TR-90 plastics. The range offers choice and flexibility with the option to pick and mix any combination of frame colour, lens shape and eye size enabling your patient to match their own style. There is something for everyone.

Superlite Rimless are the lightest spectacles ever, and coupled with the attractive complete glazed package simplified lens listing, it really is exceptional value for money.

- High quality affordable eyewear
- Lightweight
- Highly flexible
- Highly durable

The no quibble 2-year guarantee offered with Superlite Rimless has made this a first choice for many.



All models are supplied as standard with original design case.



Or casket for extra wide head widths.



No quibble 2 year guarantee on Superlite spectacles fitted with Trivex or Tribrid lenses. (Please note: We no longer fit 1.50 Resin lenses to any rimless mount)




Superlite frames are made from superb quality materials including Titanium, Stainless Steel and TR-90 plastics.

TR-90 (Grilamid) Models SL101 - SL105


- Lightweight - Grilamid TR-90 is up to 20% lighter than other plastics ensuring a comfortable wearing experience.
- Highly flexible - adding to the comfortable fit.
- Highly durable - strength and flexibility provide resistance to breakage.
- Temperature resistant - frames retain their fit and shape better than regular plastics when exposed to temperature variations.
- Colour durability - frames have long lasting colour retention even when exposed to sunlight.

SL01 TITANIUM Screwless sprung sides




A-B			CODE	COLOUR
49-25	18	135	C1	Mocha
49-25	21	135		

SL02 TITANIUM Screwless sprung sides



A-B			CODE	COLOUR
50-35	17	135	C2	Silk Gunmetal
50-35	20	135		


SL03 TITANIUM Screwless sprung sides



A-B			CODE	COLOUR
49-32	17	135	C3	Tea
49-32	20	135		


SL04 TITANIUM Screwless sprung sides

new




A-B			CODE	COLOUR
54-35	18	160	C9	Silver
54-35	21	160		

SL06 TITANIUM Screwless sprung sides




A-B			CODE	COLOUR
49-32	17	135	C6	Ice Blue
49-32	20	135		

SL20 TITANIUM Screwless sprung sides




A-B			CODE	COLOUR
50-30	18	135	C19	Shiny Gold
50-30	22	135		

SL07 TITANIUM Jointed sides




A-B			CODE	COLOUR
49-28	18	140	C7	Brushed Gold
49-28	22	140		

SL08 TITANIUM Jointed sides



A-B			CODE	COLOUR
51-32	18	140	C8	Gunmetal
51-32	22	140		


SL09 TITANIUM Jointed sides



A-B			CODE	COLOUR
49-25	18	140	C9	Silver
49-25	22	140		




SL10 TITANIUM Jointed sides



A-B			CODE	COLOUR
51-32	18	135	C10	Black
51-32	22	135		




SL11 TITANIUM Jointed sides



A-B			CODE	COLOUR
49-34	18	140	C11	Grey/Green
49-34	22	140		




SL12 TITANIUM Jointed sides



A-B			CODE	COLOUR
49-33	18	140	C12	Mauve/Grey
49-33	22	140		




SL13 TITANIUM Jointed sides



A-B			CODE	COLOUR
51-31	18	140	C13	Matt Aluminium
51-31	22	140		

SL18 Wrap - High Curve Lenses TITANIUM Jointed sides




A-B			CODE	COLOUR
56-33	19	125	C18	Brushed Gold

SPECIAL NOTE: This model has specially-formed 800 base wrap fittings - only suitable for highly curved lenses. Maintains regular head width.


An advantage from plusing the lens base curve, to +6.00, +7.00 +8.00 and increasing the eye size, Pxs will find the temple lens fixings less visible or totally invisible.

SL19 TITANIUM Jointed sides




A-B			CODE	COLOUR
49-28	18	140	C19	Shiny Gold
49-28	22	140		

SL34 TITANIUM Jointed sides




A-B			CODE	COLOUR
52-30	19	140	C7	Gold
52-30	22	140		

SL35 TITANIUM Jointed sides



A-B			CODE	COLOUR
54-30	19	140	C10	Matt Black
54-30	22	140		

SL36 TITANIUM Jointed sides




A-B			CODE	COLOUR
52-29	19	140	C36	Matt Gunmetal
52-29	22	140		




Available with wide fit sides

SL37 TITANIUM Jointed sides




A-B			CODE	COLOUR
53-34	19	140	C37	Bronze
53-34	22	140		

SL38 TITANIUM Jointed sides




A-B			CODE	COLOUR
53-30	19	140	C25	Red
53-30	22	140		

SL39 TITANIUM Jointed sides




A-B			CODE	COLOUR
51-31	19	140	C39	Plum
51-31	22	140		

SL42 Stainless Steel Jointed sides




A-B			CODE	COLOUR
51-30	20	135	C42	Mauve

SL43 Stainless Steel Jointed sides




A-B			CODE	COLOUR
52-32	18	135	C43	Wine

SL50 TITANIUM Jointed sides




A-B			CODE	COLOUR
53-31	18	135	C19	Shiny Gold
53-31	21	135		

SL51 TITANIUM Jointed sides




A-B			CODE	COLOUR
52-31	18	135	C8	Gunmetal
52-31	21	135		

SL52 TITANIUM Jointed sides




A-B			CODE	COLOUR
52-29	18	135	C9	Silver
52-29	21	135		

SL53 TITANIUM Jointed sides




A-B			CODE	COLOUR
51-29	18	135	C53	Brown
51-29	21	135		

SL54 TITANIUM Jointed sides




A-B			CODE	COLOUR
50-30	18	135	C25	Red
50-30	21	135		

SL55 TITANIUM Jointed sides




A-B			CODE	COLOUR
52-27	18	135	C55	Pink
52-27	21	135		

SL56 Stainless Steel & Acetate Jointed sides




A-B			CODE	COLOUR
54-30	18	137	C56	Silver/Black
54-30	20	137		

SL57 Stainless Steel & Acetate Jointed sides




A-B			CODE	COLOUR
56-34	18	137	C57	Black/Grey Tort
56-34	20	137		

SL60 Stainless Steel & Acetate Jointed sides




A-B			CODE	COLOUR
54-30	18	135	C60	Silver/Black
54-30	20	135		

SL63 Stainless Steel & Acetate Jointed sides




A-B			CODE	COLOUR
53-33	17	135	C19	Gold
53-33	19	135		

SL64 Stainless Steel & Acetate Jointed sides




A-B			CODE	COLOUR
53-31	17	135	C9	Silver
53-31	19	135		

SL65 TITANIUM Jointed sides




A-B			CODE	COLOUR
55-38	17	140	C65	Matt Gold

SL66 TITANIUM Jointed sides




A-B			CODE	COLOUR
54-38	17	140	C66	Matt Silver

SL67 TITANIUM Jointed sides




A-B 54-35 17 140 CODE C8 COLOUR Gunmetal

SL68 TITANIUM Jointed sides




A-B 54-34 17 140 CODE C6 COLOUR Blue

SL69 TITANIUM Jointed sides




A-B 55-38 17 140 CODE C65 COLOUR Matt Gold

SL70 TITANIUM Jointed sides



A-B 54-38 17 140 CODE C66 COLOUR Matt Silver


SL71 TITANIUM Jointed sides



A-B 54-35 17 140 CODE C8 COLOUR Gunmetal




SL72 TITANIUM Jointed sides



A-B 54-34 17 140 CODE C6 COLOUR Blue




SL73 TITANIUM Jointed sides



A-B 53-33 18 140 CODE C19 COLOUR Gold




SL74 TITANIUM Jointed sides



A-B 52-30 18 140 CODE C9 COLOUR Silver




SL75 TITANIUM Jointed sides



A-B 51-29 18 140 CODE C8 COLOUR Gunmetal




SL76 TITANIUM Jointed sides



A-B 53-32 18 138 CODE C19 COLOUR Gold




SL77 TITANIUM Jointed sides



A-B 52-30 18 138 CODE C9 COLOUR Silver




SL78 TITANIUM Jointed sides



A-B 51-28 18 138 CODE C10 COLOUR Black




SL79 TITANIUM Jointed sides



A-B 54-32 18 138 CODE C37 COLOUR Bronze




SL80 TITANIUM Jointed sides



A-B 50-29 18 138 CODE C6 COLOUR Blue



SL81 TITANIUM Jointed sides • Comfort Bridge




A-B 58-36 19 140 CODE C19 COLOUR Gold



SPECIAL NOTE: The design of SL81 & SL82 enables extra wide bridge spread. At 15mm below crest 18mm to 26mm variation is possible by changing the lens nasal profile. • See Page 27

SL82 TITANIUM Jointed sides • Comfort Bridge




A-B 55-28 19 155 CODE C19 COLOUR Gold



SL83 TITANIUM Jointed sides

new




A-B 53-38 18 143 CODE C19 COLOUR Shiny Gold



SL84 TITANIUM Jointed sides

new




A-B 52-38 18 143 CODE C9 COLOUR Silver



SL85 TITANIUM Jointed sides

new




A-B 51-35 19 143 CODE C8 COLOUR Gunmetal



SL86 TITANIUM Jointed sides

new




A-B 53-34 17 143 CODE C37 COLOUR Bronze



SL87 TITANIUM Jointed sides

new




A-B 56-38 18 140 CODE C19 COLOUR Shiny Gold



SL88 TITANIUM Jointed sides

new




A-B 53-38 16 140 CODE C9 COLOUR Silver



SL89 TITANIUM Jointed sides

new




A-B 53-35 18 140 CODE C8 COLOUR Gunmetal



SL90 TITANIUM Jointed sides

new




A-B 52-34 18 140 CODE C37 COLOUR Bronze



SL91 TITANIUM Jointed sides

new



A-B

51-38



18



135

CODE

C19


COLOUR

Shiny Gold



SL92 TITANIUM Jointed sides

new



A-B

52-38



18



135

CODE

C9


COLOUR

Silver



SL93 TITANIUM Jointed sides

new



A-B

52-35



18



135

CODE

C37


COLOUR

Bronze



SL94 TITANIUM Jointed sides

new



A-B

53-38



17



137

CODE


C19

COLOUR

Shiny Gold




SL95 TITANIUM Jointed sides



A-B 53-38 18 137 CODE C9 COLOUR Silver




SL96 TITANIUM Jointed sides



A-B 52-35 18 137 CODE C37 COLOUR Bronze




SL101 Jointed TR-90 plastic Flex sides • Stainless Steel bridge



A-B 52-30 17 135 52-30 19 135 CODE C1 COLOUR Silver/Crystal




SL102 Jointed TR-90 plastic Flex sides • Stainless Steel bridge



A-B 54-33 19 135 54-33 21 135 CODE C2 COLOUR Silver/Clear /Black Stripe




SL103 Jointed TR-90 plastic Flex sides • Stainless Steel bridge




A-B			CODE	COLOUR
54-35	18	135	C3	Silver/Blue
54-35	20	135		

SL104 Jointed TR-90 plastic Flex sides • Stainless Steel bridge



A-B			CODE	COLOUR
53-31	17	135	C4	Gunmetal/Red
53-31	19	135		

SL105 Jointed TR-90 plastic Flex sides • Stainless Steel bridge















A-B			CODE	COLOUR
50-37	18	135	C5	Lilac
50-37	20	135		



X-Shapes Additional Lens Shapes

Adding to the flexibility of the Superlite fitting system, we offer some additional shapes.

Available with any Superlite frame: simply state the frame model and the FX number below and choose your eyesize (remember a number of our Superlite frames come in two bridge sizes - you will need to state this on your order).



Model SL81 & SL82 Comfort Bridge -
Narrow nasal spread





Superlite

COMPLETE PRICE **ANY FRAME + 2 LENSES**

			Index	Coating	Complete package price
TRSS	TRIVEX		1.53		
T N/A		+ PLUS 6.00 1.00 60 65 50 MINUS - 70 8.00 OPPOSITE CYLS TO 2.00			
TRV					
TRIX	TRIVEX ASPHERIC		1.53		
T N/A		+ PLUS 4.00 65 MINUS - 70 7.00 OPPOSITE CYLS TO 2.00			
TRIS	TRIVEX		1.53		
T N/A		+ PLUS 8.00 70 MINUS - 10.00			
TRIS	TRIVEX		1.53		
T N/A		+ PLUS 7.50 76 MINUS - 8.00			
TRUS	TRIVEX ASPHERIC		1.53		
T N/A		+ PLUS 8.00 70 MINUS - 9.00			
SU53	NORTOR-SV TRIVEX		1.53		
T N/A	ISA	+ PLUS 7.50 70 MINUS - 8.00			
SU53	NORTOR-SV TRIVEX		1.53		
T N/A	ISA	+ PLUS 8.00 76 MINUS - 3.00			
TRIS	TRIVEX Reactolite® 87% - 15% LT		1.53		
RG15 RB15	Grey (RG) Brown (RB)	+ PLUS 7.00 70 MINUS - 10.00			
TRIS	TRIVEX Reactolite® 87% - 15% LT		1.53		
RG15 RB15	Grey (RG) Brown (RB)	+ PLUS 7.00 76 MINUS - 10.00			

OPPOSITE CYLS TO 6.00DC UNLESS STATED

Complete Package Pricing

All prices shown are net per pair including frame and glazing within the stated range.

WARNING: Stock finished lenses can be used where the edge thickness is deemed by Norville to be thick enough to be drilled and mounted, minimum substance required 1.8mm.



Superlite

COMPLETE PRICE **ANY FRAME + 2 LENSES**

		Index	Coating	Complete package price
SU53 RG15 RB15	NORTOR-SV HD TRIVEX Reactolite® 87% - 15% LT + PLUS 7.00 70 MINUS - 8.00	1.53	 	
SU53 RG15 RB15	NORTOR-SV HD TRIVEX Reactolite® 87% - 15% LT + PLUS 7.00 76 MINUS - 8.00	1.53	 	
TRNP GR/BR	TRIVEX NUPOLAR® 15% LT + PLUS 7.00 72 MINUS - 8.00	1.53	 	
SUTP GR/BR	NORTOR-SV HD TRIVEX NUPOLAR® 15% LT + PLUS 7.00 72 MINUS - 8.00	1.53	 	
TNXT GR/BR /GN	TRIVEX SUN TINT UV400 15% LTF + PLUS 7.00 75 MINUS - 8.00 10.00 70	1.53	 	
SUXT GR/BR /GN	NORTOR-SV HD TRIVEX SUN TINT UV400 15% LTF + PLUS 6.00 75 = 80 MINUS - 7.00	1.53	 	

OPPOSITE CYLS TO 6.00DC UNLESS STATED

Complete Package Pricing

All prices shown are net per pair including frame and glazing within the stated range.



WARNING: Stock finished lenses can be used where the edge thickness is deemed by Norville to be thick enough to be drilled and mounted, minimum substance required 1.8mm.

SALES: 01452 510321 • sales@norville.co.uk • www.norville.co.uk



Superlite

COMPLETE PRICE **ANY FRAME + 2 LENSES**

			Index	Coating	Complete package price
TR28	TRIVEX FLAT TOP 28		1.53		
T N/A		+ PLUS 7.00 76 10.00 MINUS - Adds 1.00 to 3.50 in 0.25 steps		 	
TR28	TRIVEX Reactolite ® FLAT TOP 28 87% - 15% LT		1.53		
RG15 RB15	 Grey (RG) Brown (RB)	+ PLUS 7.00 74 8.00 MINUS - Adds 1.00 to 3.50 in 0.25 steps		 	
TR35	TRIVEX FLAT TOP 35		10 1.53		
T N/A		+ PLUS 7.00 76 8.00 MINUS - Adds 1.00 to 3.50 in 0.25 steps and 4.00		 	
TR35	TRIVEX Reactolite ® FLAT TOP 35 87% - 15% LT		10 1.53		
RG15 RB15	 Grey (RG) Brown (RB)	+ PLUS 7.00 74 8.00 MINUS - Adds 1.00 to 3.50 in 0.25 steps		 	
OFTR	TRIVEX VERSATILE OFFICE		1.53		
T N/A	 16mm	+ PLUS 7.50 76 8.00 MINUS - DEGRESSIONS -0.50, -0.75, -1.00, -1.25, -1.50, -1.75, -2.00, -2.25, -2.50 DS	Order by reading Rx Distance PDs		

OPPOSITE CYLS TO 6.00DC UNLESS STATED

Complete Package Pricing





All prices shown are net per pair including frame and glazing within the stated range.

WARNING: Stock finished lenses can be used where the edge thickness is deemed by Norville to be thick enough to be drilled and mounted, minimum substance required 1.8mm.



Superlite

COMPLETE PRICE **ANY FRAME + 2 LENSES**

			Index	Coating	Complete package price
CFT	TRIVEX CONTINUOUS FOCUS		1.53		
T N/A	 16mm AUTOSELECT	+ PLUS 6.50 75 MINUS - 8.00 Adds 1.00 to 3.50 in 0.25 steps			
					
TRUP	TRIVEX IMAGE		1.53		
T N/A	 18mm	+ PLUS 8.00 75 MINUS - 8.00 Adds 1.00 to 3.00 in 0.25 steps			
					
TTIM	TRIVEX IMAGE Reactolite® 87% - 15% LT		1.53		
RG15 RB15	 18mm Grey (RG) Brown (RB)	+ PLUS 8.00 76 MINUS - 8.00 Adds 1.00 to 3.00 in 0.25 steps			
					
VU53	VECTOR & VECTOR EXTRA SHORT		1.53		
T N/A	 15mm VXS 11mm ISP AUTOSELECT	+ PLUS 7.00 75 MINUS - 7.00 Adds 0.75 to 3.50 in 0.25 steps Available designs - General Only	Max prism 3Δ		
					
VU53	VECTOR & VECTOR EXTRA SHORT Reactolite® 87% - 15% LT		1.53		
RG15 RB15	 15mm VXS 11mm ISP AUTOSELECT Grey (RG) Brown (RB)	+ PLUS 7.00 75 MINUS - 7.00 Adds 0.75 to 3.50 in 0.25 steps Available designs - General Only	Max prism 3Δ		
					
NU53	ULTOR HD TRIVEX		1.53		
T N/A	 14mm AUTOSELECT	+ PLUS 7.50 76 = 81 MINUS - 8.00 Adds 0.75 to 4.50 in 0.25 steps Available designs - General/Outdoor/Desk			
					
NU53	ULTOR HD TRIVEX Reactolite® 87% - 15% LT		1.53		
RG15 RB15	 14mm AUTOSELECT Grey (RG) Brown (RB)	+ PLUS 7.50 76 = 81 MINUS - 8.00 Adds 0.75 to 4.50 in 0.25 steps Available designs - General/Outdoor/Desk			
					

OPPOSITE CYLS TO 6.00DC UNLESS STATED

Complete Package Pricing

All prices shown are net per pair including frame and glazing within the stated range.





WARNING: Stock finished lenses can be used where the edge thickness is deemed by Norville to be thick enough to be drilled and mounted, minimum substance required 1.8mm.

SALES: 01452 510321 • sales@norville.co.uk • www.norville.co.uk



Superlite

COMPLETE PRICE **ANY FRAME + 2 LENSES**

		Index	Coating	Complete package price
YU53	FREEWAY^{HD} TRIVEX	1.53		
T N/A	 18mm ISP + PLUS 7.50 76 = 81 MINUS - 8.00 Adds 0.75 to 3.50 in 0.25 steps			
YX53	FREEWAY^{HD} TRIVEX Reactolite[®] 87% - 15% LT	1.53		
RG15 RB15	 18mm ISP Grey (RG) Brown (RB) + PLUS 7.50 76 = 81 MINUS - 8.00 Adds 0.75 to 3.50 in 0.25 steps			
CM53	Digitor[®] DHD TRIVEX	1.53		
T N/A	 14mm ISP AUTOSELECT + PLUS 7.00 75 MINUS - 10.00 Adds 0.75 to 4.50 in 0.25 steps			
CM53	Digitor[®] DHD TRIVEX Reactolite[®] 87% - 15% LT	1.53		
RG15 RB15	 14mm ISP AUTOSELECT Grey (RG) Brown (RB) + PLUS 7.00 75 MINUS - 10.00 Adds 0.75 to 4.50 in 0.25 steps			



tribrid

COMPLETE PRICE **ANY FRAME + 2 LENSES**

		Index	Coating	Complete package price
STRS	TRIBRID	1.60		
T N/A	 OPPOSITE CYLS TO 2.00 + PLUS 6.00 65 70 MINUS - 8.00			

OPPOSITE CYLS TO 6.00DC UNLESS STATED

AUTOSELECT - SHORT AND LONG CORRIDOR AVAILABILITY COMPUTER SELECTION DETERMINED BY FITTING HEIGHT SPECIFIED

↔ Variable inset - 0 to 5.00mm in 0.50mm steps. Please specify at time of ordering.

All prices shown are net per pair including frame and glazing within the stated range.

WARNING: Stock finished lenses can be used where the edge thickness is deemed by Norville to be thick enough to be drilled and mounted, minimum substance required 1.8mm.



Norville offer a two year No Quibble Guarantee against lens and frame breakage when supplied with TRIVEX - TRIBRID lenses.



- **Lighter**
- **Stronger**
- **Chemical resistant**
- **Great optics**
- **UV blocking**
- **Prompt service**

Pricing

Individual Superlite frame	
Four Superlite frames	
Eight Superlite frames	
Spare Bridge (each)	
Spare Side (per side)	
Lug only (each)	

Additional Pricing

	£ per lens net
Superlite Shape change-over (to any other Superlite shape)	No Charge
Superlite change of Overall Eyesize	No Charge
Superlite change of One Dimension	No Charge
Superlite X-Shape	No Charge
Unique Custom shape	
Tinting	
Mirror Coating	
Prism 0.5 to 3D per lens net to surfaced options only	

All package prices shown are net and exclude VAT and postage. All lens options, powers and additions not shown within this package revert to standard supply from the Norville Ophthalmic Lens Catalogue.

**Complete Rx Packages can be ordered from
our regional *Superlite* service centres:**

Gloucester

Waterwells Drive, Waterwells Business Park, Gloucester GL2 2AA
Phone: 01452 528686 • Fax: 01452 411094

Seaham

Unit 6A, Chevychase Court, Seaham Grange Estate, Seaham SR7 0PR
Phone: 0191 523 8023 • Fax: 0191 523 8024

Livingston

Grange Road, Houstoun, Livingston, Nr. Edinburgh EH54 5DE
Phone: 01506 434261 • Fax: 01506 431851

Or order your Superlite complete package ONLINE

www.norville.co.uk

Non account customers can pay by credit card or PayPal

NORVILLE

— AN INSPECS GROUP PLC COMPANY —

Norville (20/20) Ltd, Waterwells Drive, Gloucester GL2 2AA
Tel: 01452 510321 • Fax: 01452 510331 • Email: sales@norville.co.uk
Reg office: 7-10 Kelso Place, Bath, Somerset BA1 3AU • Reg number: 12734351 England

www.norville.co.uk



Scan this QR code to
visit the Norville website